

物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻Ω/km
ANO03.004.02.000.14B	LiYCY-TP	300/300V	2X2X0.14	9/0.14	5.8	50.05	158Ω/km
ANO03.004.03.000.14B	LiYCY-TP	300/300V	3X2X0.14	9/0.14	6	54.78	158Ω/km
ANO03.004.04.000.14B	LiYCY-TP	300/300V	4X2X0.14	9/0.14	6.5	64.89	158Ω/km
ANO03.004.05.000.14B	LiYCY-TP	300/300V	5X2X0.14	9/0.14	7.4	82.61	158Ω/km
ANO03.004.06.000.14B	LiYCY-TP	300/300V	6X2X0.14	9/0.14	7.9	94.53	158Ω/km
ANO03.004.07.000.14B	LiYCY-TP	300/300V	7X2X0.14	9/0.14	7.9	95.98	158Ω/km
ANO03.004.08.000.14B	LiYCY-TP	300/300V	8X2X0.14	9/0.14	8.5	110.85	158Ω/km
ANO03.004.09.000.14B	LiYCY-TP	300/300V	9X2X0.14	9/0.14	9.4	133.67	158Ω/km
ANO03.004.10.000.14B	LiYCY-TP	300/300V	10X2X0.14	9/0.14	9.9	148.22	158Ω/km
ANO03.004.11.000.14B	LiYCY-TP	300/300V	11X2X0.14	9/0.14	10.2	157.83	158Ω/km
ANO03.004.12.000.14B	LiYCY-TP	300/300V	12X2X0.14	9/0.14	10.2	159.28	158Ω/km
ANO03.004.13.000.14B	LiYCY-TP	300/300V	13X2X0.14	9/0.14	10.9	182.46	158Ω/km
ANO03.004.14.000.14B	LiYCY-TP	300/300V	14X2X0.14	9/0.14	10.9	183.91	158Ω/km
ANO03.004.15.000.14B	LiYCY-TP	300/300V	15X2X0.14	9/0.14	11.4	200.53	158Ω/km
ANO03.004.16.000.14B	LiYCY-TP	300/300V	16X2X0.14	9/0.14	11.4	201.98	158Ω/km
ANO03.004.17.000.14B	LiYCY-TP	300/300V	17X2X0.14	9/0.14	11.9	219.28	158Ω/km
ANO03.004.18.000.14B	LiYCY-TP	300/300V	18X2X0.14	9/0.14	11.9	220.73	158Ω/km
ANO03.004.19.000.14B	LiYCY-TP	300/300V	19X2X0.14	9/0.14	11.9	222.18	158Ω/km
ANO03.004.20.000.14B	LiYCY-TP	300/300V	20X2X0.14	9/0.14	12.2	233.44	158Ω/km
ANO03.004.21.000.14B	LiYCY-TP	300/300V	21X2X0.14	9/0.14	12.5	244.96	158Ω/km
ANO03.004.22.000.14B	LiYCY-TP	300/300V	22X2X0.14	9/0.14	13.5	279.19	158Ω/km
ANO03.004.23.000.14B	LiYCY-TP	300/300V	23X2X0.14	9/0.14	14	299.15	158Ω/km
ANO03.004.24.000.14B	LiYCY-TP	300/300V	24X2X0.14	9/0.14	14	300.62	158Ω/km
ANO03.004.25.000.14B	LiYCY-TP	300/300V	25X2X0.14	9/0.14	14.3	313.49	158Ω/km
ANO03.004.26.000.14B	LiYCY-TP	300/300V	26X2X0.14	9/0.14	14.3	314.94	158Ω/km
ANO03.004.27.000.14B	LiYCY-TP	300/300V	27X2X0.14	9/0.14	14.3	316.39	158Ω/km
ANO03.004.28.000.14B	LiYCY-TP	300/300V	28X2X0.14	9/0.14	14.9	340.66	158Ω/km
ANO03.004.29.000.14B	LiYCY-TP	300/300V	29X2X0.14	9/0.14	14.9	342.11	158Ω/km
ANO03.004.30.000.14B	LiYCY-TP	300/300V	30X2X0.14	9/0.14	14.9	343.57	158Ω/km
ANO03.004.31.000.14B	LiYCY-TP	300/300V	31X2X0.14	9/0.14	15.4	365.37	158Ω/km
ANO03.004.32.000.14B	LiYCY-TP	300/300V	32X2X0.14	9/0.14	15.4	366.81	158Ω/km
ANO03.004.33.000.14B	LiYCY-TP	300/300V	33X2X0.14	9/0.14	15.4	368.26	158Ω/km
ANO03.004.34.000.14B	LiYCY-TP	300/300V	34X2X0.14	9/0.14	16	395.02	158Ω/km
ANO03.004.35.000.14B	LiYCY-TP	300/300V	35X2X0.14	9/0.14	16	396.47	158Ω/km
ANO03.004.36.000.14B	LiYCY-TP	300/300V	36X2X0.14	9/0.14	16	397.92	158Ω/km
ANO03.004.37.000.14B	LiYCY-TP	300/300V	37X2X0.14	9/0.14	16	399.38	158Ω/km
ANO03.004.38.000.14B	LiYCY-TP	300/300V	38X2X0.14	9/0.14	16.7	430.73	158Ω/km
ANO03.004.39.000.14B	LiYCY-TP	300/300V	39X2X0.14	9/0.14	16.7	432.18	158Ω/km
ANO03.004.40.000.14B	LiYCY-TP	300/300V	40X2X0.14	9/0.14	16.7	433.63	158Ω/km
ANO03.004.41.000.14B	LiYCY-TP	300/300V	41X2X0.14	9/0.14	17.9	490.74	158Ω/km
ANO03.004.42.000.14B	LiYCY-TP	300/300V	42X2X0.14	9/0.14	17.9	492.19	158Ω/km

ANO03.004.43.000.14B	LIYCY-TP	300/300V	43X2X0.14	9/0.14	17.9	493.65	158Ω/km
ANO03.004.44.000.14B	LIYCY-TP	300/300V	44X2X0.14	9/0.14	17.9	495.1	158Ω/km
ANO03.004.45.000.14B	LIYCY-TP	300/300V	45X2X0.14	9/0.14	18.4	519.94	158Ω/km
ANO03.004.46.000.14B	LIYCY-TP	300/300V	46X2X0.14	9/0.14	18.4	521.39	158Ω/km
ANO03.004.47.000.14B	LIYCY-TP	300/300V	47X2X0.14	9/0.14	18.4	522.84	158Ω/km
ANO03.004.48.000.14B	LIYCY-TP	300/300V	48X2X0.14	9/0.14	18.4	524.3	158Ω/km
ANO03.004.49.000.14B	LIYCY-TP	300/300V	49X2X0.14	9/0.14	18.9	550.72	158Ω/km
ANO03.004.50.000.14B	LIYCY-TP	300/300V	50X2X0.14	9/0.14	18.9	552.18	158Ω/km
ANO03.004.51.000.14B	LIYCY-TP	300/300V	51X2X0.14	9/0.14	18.9	553.63	158Ω/km
ANO03.004.52.000.14B	LIYCY-TP	300/300V	52X2X0.14	9/0.14	18.9	555.08	158Ω/km
ANO03.004.53.000.14B	LIYCY-TP	300/300V	53X2X0.14	9/0.14	19.4	582.15	158Ω/km
ANO03.004.54.000.14B	LIYCY-TP	300/300V	54X2X0.14	9/0.14	19.4	583.6	158Ω/km
ANO03.004.55.000.14B	LIYCY-TP	300/300V	55X2X0.14	9/0.14	19.4	585.05	158Ω/km
ANO03.004.56.000.14B	LIYCY-TP	300/300V	56X2X0.14	9/0.14	19.4	586.51	158Ω/km
ANO03.004.57.000.14B	LIYCY-TP	300/300V	57X2X0.14	9/0.14	19.9	614.25	158Ω/km
ANO03.004.58.000.14B	LIYCY-TP	300/300V	58X2X0.14	9/0.14	19.9	615.7	158Ω/km
ANO03.004.59.000.14B	LIYCY-TP	300/300V	59X2X0.14	9/0.14	19.9	617.15	158Ω/km
ANO03.004.60.000.14B	LIYCY-TP	300/300V	60X2X0.14	9/0.14	19.9	618.6	158Ω/km
ANO03.004.61.000.14B	LIYCY-TP	300/300V	61X2X0.14	9/0.14	19.9	620.05	158Ω/km
ANO03.004.62.000.14B	LIYCY-TP	300/300V	62X2X0.14	9/0.14	20.9	668.47	158Ω/km
ANO03.004.63.000.14B	LIYCY-TP	300/300V	63X2X0.14	9/0.14	20.9	669.93	158Ω/km
ANO03.004.64.000.14B	LIYCY-TP	300/300V	64X2X0.14	9/0.14	20.9	671.38	158Ω/km
ANO03.004.65.000.14B	LIYCY-TP	300/300V	65X2X0.14	9/0.14	20.9	672.83	158Ω/km
ANO03.004.02.000.25B	LIYCY-TP	300/300V	2X2X0.25	16/0.14	6.6	66.47	73.84Ω/km
ANO03.004.03.000.25B	LIYCY-TP	300/300V	3X2X0.25	16/0.14	7.4	83.73	73.84Ω/km
ANO03.004.04.000.25B	LIYCY-TP	300/300V	4X2X0.25	16/0.14	8	99.15	73.84Ω/km
ANO03.004.05.000.25B	LIYCY-TP	300/300V	5X2X0.25	16/0.14	8.6	115.54	73.84Ω/km
ANO03.004.06.000.25B	LIYCY-TP	300/300V	6X2X0.25	16/0.14	9.4	137.37	73.84Ω/km
ANO03.004.07.000.25B	LIYCY-TP	300/300V	7X2X0.25	16/0.14	9.4	140.18	73.84Ω/km
ANO03.004.08.000.25B	LIYCY-TP	300/300V	8X2X0.25	16/0.14	10.1	161.49	73.84Ω/km
ANO03.004.09.000.25B	LIYCY-TP	300/300V	9X2X0.25	16/0.14	11.3	200.82	73.84Ω/km
ANO03.004.10.000.25B	LIYCY-TP	300/300V	10X2X0.25	16/0.14	11.9	222.55	73.84Ω/km
ANO03.004.11.000.25B	LIYCY-TP	300/300V	11X2X0.25	16/0.14	12.3	238.49	73.84Ω/km
ANO03.004.12.000.25B	LIYCY-TP	300/300V	12X2X0.25	16/0.14	12.3	241.28	73.84Ω/km
ANO03.004.13.000.25B	LIYCY-TP	300/300V	13X2X0.25	16/0.14	13.1	270.93	73.84Ω/km
ANO03.004.14.000.25B	LIYCY-TP	300/300V	14X2X0.25	16/0.14	13.1	273.72	73.84Ω/km
ANO03.004.15.000.25B	LIYCY-TP	300/300V	15X2X0.25	16/0.14	13.8	300.23	73.84Ω/km
ANO03.004.16.000.25B	LIYCY-TP	300/300V	16X2X0.25	16/0.14	13.8	303.01	73.84Ω/km
ANO03.004.17.000.25B	LIYCY-TP	300/300V	17X2X0.25	16/0.14	14.6	335.64	73.84Ω/km
ANO03.004.18.000.25B	LIYCY-TP	300/300V	18X2X0.25	16/0.14	14.6	338.44	73.84Ω/km
ANO03.004.19.000.25B	LIYCY-TP	300/300V	19X2X0.25	16/0.14	14.6	341.23	73.84Ω/km
ANO03.004.20.000.25B	LIYCY-TP	300/300V	20X2X0.25	16/0.14	15	359.93	73.84Ω/km
ANO03.004.21.000.25B	LIYCY-TP	300/300V	21X2X0.25	16/0.14	15.3	374.96	73.84Ω/km

ANO03.004.22.000.25B	LIYCY-TP	300/300V	22X2X0.25	16/0.14	16.2	415.81	73.84Ω/km
ANO03.004.23.000.25B	LIYCY-TP	300/300V	23X2X0.25	16/0.14	17	453.4	73.84Ω/km
ANO03.004.24.000.25B	LIYCY-TP	300/300V	24X2X0.25	16/0.14	17	456.21	73.84Ω/km
ANO03.004.25.000.25B	LIYCY-TP	300/300V	25X2X0.25	16/0.14	17.4	477.45	73.84Ω/km
ANO03.004.26.000.25B	LIYCY-TP	300/300V	26X2X0.25	16/0.14	17.4	480.24	73.84Ω/km
ANO03.004.27.000.25B	LIYCY-TP	300/300V	27X2X0.25	16/0.14	17.4	483.04	73.84Ω/km
ANO03.004.28.000.25B	LIYCY-TP	300/300V	28X2X0.25	16/0.14	18	514.3	73.84Ω/km
ANO03.004.29.000.25B	LIYCY-TP	300/300V	29X2X0.25	16/0.14	18	517.1	73.84Ω/km
ANO03.004.30.000.25B	LIYCY-TP	300/300V	30X2X0.25	16/0.14	18	519.89	73.84Ω/km
ANO03.004.31.000.25B	LIYCY-TP	300/300V	31X2X0.25	16/0.14	18.8	561.19	73.84Ω/km
ANO03.004.32.000.25B	LIYCY-TP	300/300V	32X2X0.25	16/0.14	18.8	563.99	73.84Ω/km
ANO03.004.33.000.25B	LIYCY-TP	300/300V	33X2X0.25	16/0.14	18.8	566.78	73.84Ω/km
ANO03.004.34.000.25B	LIYCY-TP	300/300V	34X2X0.25	16/0.14	19.4	600.25	73.84Ω/km
ANO03.004.35.000.25B	LIYCY-TP	300/300V	35X2X0.25	16/0.14	19.4	603.06	73.84Ω/km
ANO03.004.36.000.25B	LIYCY-TP	300/300V	36X2X0.25	16/0.14	19.4	605.84	73.84Ω/km
ANO03.004.37.000.25B	LIYCY-TP	300/300V	37X2X0.25	16/0.14	19.4	608.65	73.84Ω/km
ANO03.004.38.000.25B	LIYCY-TP	300/300V	38X2X0.25	16/0.14	20.3	658.24	73.84Ω/km
ANO03.004.39.000.25B	LIYCY-TP	300/300V	39X2X0.25	16/0.14	20.3	661.03	73.84Ω/km
ANO03.004.40.000.25B	LIYCY-TP	300/300V	40X2X0.25	16/0.14	20.3	663.83	73.84Ω/km
ANO03.004.41.000.25B	LIYCY-TP	300/300V	41X2X0.25	16/0.14	22.1	761.65	73.84Ω/km
ANO03.004.42.000.25B	LIYCY-TP	300/300V	42X2X0.25	16/0.14	22.1	764.43	73.84Ω/km
ANO03.004.43.000.25B	LIYCY-TP	300/300V	43X2X0.25	16/0.14	22.1	767.24	73.84Ω/km
ANO03.004.44.000.25B	LIYCY-TP	300/300V	44X2X0.25	16/0.14	22.1	770.03	73.84Ω/km
ANO03.004.45.000.25B	LIYCY-TP	300/300V	45X2X0.25	16/0.14	22.7	807.46	73.84Ω/km
ANO03.004.46.000.25B	LIYCY-TP	300/300V	46X2X0.25	16/0.14	22.7	810.24	73.84Ω/km
ANO03.004.47.000.25B	LIYCY-TP	300/300V	47X2X0.25	16/0.14	22.7	813.04	73.84Ω/km
ANO03.004.48.000.25B	LIYCY-TP	300/300V	48X2X0.25	16/0.14	22.7	815.84	73.84Ω/km
ANO03.004.49.000.25B	LIYCY-TP	300/300V	49X2X0.25	16/0.14	23.3	855.28	73.84Ω/km
ANO03.004.50.000.25B	LIYCY-TP	300/300V	50X2X0.25	16/0.14	23.3	858.07	73.84Ω/km
ANO03.004.51.000.25B	LIYCY-TP	300/300V	51X2X0.25	16/0.14	23.3	860.88	73.84Ω/km
ANO03.004.52.000.25B	LIYCY-TP	300/300V	52X2X0.25	16/0.14	23.3	863.66	73.84Ω/km
ANO03.004.53.000.25B	LIYCY-TP	300/300V	53X2X0.25	16/0.14	23.9	904.06	73.84Ω/km
ANO03.004.54.000.25B	LIYCY-TP	300/300V	54X2X0.25	16/0.14	23.9	906.86	73.84Ω/km
ANO03.004.55.000.25B	LIYCY-TP	300/300V	55X2X0.25	16/0.14	23.9	909.66	73.84Ω/km
ANO03.004.56.000.25B	LIYCY-TP	300/300V	56X2X0.25	16/0.14	23.9	912.45	73.84Ω/km
ANO03.004.57.000.25B	LIYCY-TP	300/300V	57X2X0.25	16/0.14	24.7	965.7	73.84Ω/km
ANO03.004.58.000.25B	LIYCY-TP	300/300V	58X2X0.25	16/0.14	24.7	968.5	73.84Ω/km
ANO03.004.59.000.25B	LIYCY-TP	300/300V	59X2X0.25	16/0.14	24.7	971.29	73.84Ω/km
ANO03.004.60.000.25B	LIYCY-TP	300/300V	60X2X0.25	16/0.14	24.7	974.09	73.84Ω/km
ANO03.004.61.000.25B	LIYCY-TP	300/300V	61X2X0.25	16/0.14	24.7	976.88	73.84Ω/km
ANO03.004.62.000.25B	LIYCY-TP	300/300V	62X2X0.25	16/0.14	25.4	1026.22	73.84Ω/km
ANO03.004.63.000.25B	LIYCY-TP	300/300V	63X2X0.25	16/0.14	25.4	1029.01	73.84Ω/km
ANO03.004.64.000.25B	LIYCY-TP	300/300V	64X2X0.25	16/0.14	25.4	1031.81	73.84Ω/km

ANO03.004.65.000.25B	LIYCY-TP	300/300V	65X2X0.25	16/0.14	25.4	1034.61	73.84Ω/km
ANO03.004.02.000.34B	LIYCY-TP	300/300V	2X2X0.34	22/0.14	7.8	91.32	61.1Ω/km
ANO03.004.03.000.34B	LIYCY-TP	300/300V	3X2X0.34	22/0.14	8.2	103.93	61.1Ω/km
ANO03.004.04.000.34B	LIYCY-TP	300/300V	4X2X0.34	22/0.14	9	125.97	61.1Ω/km
ANO03.004.05.000.34B	LIYCY-TP	300/300V	5X2X0.34	22/0.14	9.8	150.24	61.1Ω/km
ANO03.004.06.000.34B	LIYCY-TP	300/300V	6X2X0.34	22/0.14	10.6	178.45	61.1Ω/km
ANO03.004.07.000.34B	LIYCY-TP	300/300V	7X2X0.34	22/0.14	10.6	182.3	61.1Ω/km
ANO03.004.08.000.34B	LIYCY-TP	300/300V	8X2X0.34	22/0.14	11.6	215.73	61.1Ω/km
ANO03.004.09.000.34B	LIYCY-TP	300/300V	9X2X0.34	22/0.14	12.8	258.65	61.1Ω/km
ANO03.004.10.000.34B	LIYCY-TP	300/300V	10X2X0.34	22/0.14	13.7	292.98	61.1Ω/km
ANO03.004.11.000.34B	LIYCY-TP	300/300V	11X2X0.34	22/0.14	14.1	311.82	61.1Ω/km
ANO03.004.12.000.34B	LIYCY-TP	300/300V	12X2X0.34	22/0.14	14.1	315.66	61.1Ω/km
ANO03.004.13.000.34B	LIYCY-TP	300/300V	13X2X0.34	22/0.14	14.9	349.96	61.1Ω/km
ANO03.004.14.000.34B	LIYCY-TP	300/300V	14X2X0.34	22/0.14	14.9	353.79	61.1Ω/km
ANO03.004.15.000.34B	LIYCY-TP	300/300V	15X2X0.34	22/0.14	15.7	390.52	61.1Ω/km
ANO03.004.16.000.34B	LIYCY-TP	300/300V	16X2X0.34	22/0.14	15.7	394.36	61.1Ω/km
ANO03.004.17.000.34B	LIYCY-TP	300/300V	17X2X0.34	22/0.14	16.6	436.41	61.1Ω/km
ANO03.004.18.000.34B	LIYCY-TP	300/300V	18X2X0.34	22/0.14	16.6	440.24	61.1Ω/km
ANO03.004.19.000.34B	LIYCY-TP	300/300V	19X2X0.34	22/0.14	16.6	444.09	61.1Ω/km
ANO03.004.20.000.34B	LIYCY-TP	300/300V	20X2X0.34	22/0.14	17	465.94	61.1Ω/km
ANO03.004.21.000.34B	LIYCY-TP	300/300V	21X2X0.34	22/0.14	17.4	488.23	61.1Ω/km
ANO03.004.22.000.34B	LIYCY-TP	300/300V	22X2X0.34	22/0.14	18.6	549.04	61.1Ω/km
ANO03.004.23.000.34B	LIYCY-TP	300/300V	23X2X0.34	22/0.14	19.4	593.56	61.1Ω/km
ANO03.004.24.000.34B	LIYCY-TP	300/300V	24X2X0.34	22/0.14	19.4	597.4	61.1Ω/km
ANO03.004.25.000.34B	LIYCY-TP	300/300V	25X2X0.34	22/0.14	19.8	622.23	61.1Ω/km
ANO03.004.26.000.34B	LIYCY-TP	300/300V	26X2X0.34	22/0.14	19.8	626.06	61.1Ω/km
ANO03.004.27.000.34B	LIYCY-TP	300/300V	27X2X0.34	22/0.14	19.8	629.91	61.1Ω/km
ANO03.004.28.000.34B	LIYCY-TP	300/300V	28X2X0.34	22/0.14	20.9	686.02	61.1Ω/km
ANO03.004.29.000.34B	LIYCY-TP	300/300V	29X2X0.34	22/0.14	20.9	689.87	61.1Ω/km
ANO03.004.30.000.34B	LIYCY-TP	300/300V	30X2X0.34	22/0.14	20.9	693.7	61.1Ω/km
ANO03.004.31.000.34B	LIYCY-TP	300/300V	31X2X0.34	22/0.14	21.7	742.83	61.1Ω/km
ANO03.004.32.000.34B	LIYCY-TP	300/300V	32X2X0.34	22/0.14	21.7	746.67	61.1Ω/km
ANO03.004.33.000.34B	LIYCY-TP	300/300V	33X2X0.34	22/0.14	21.7	750.51	61.1Ω/km
ANO03.004.34.000.34B	LIYCY-TP	300/300V	34X2X0.34	22/0.14	22.6	806.24	61.1Ω/km
ANO03.004.35.000.34B	LIYCY-TP	300/300V	35X2X0.34	22/0.14	22.6	810.09	61.1Ω/km
ANO03.004.36.000.34B	LIYCY-TP	300/300V	36X2X0.34	22/0.14	22.6	813.92	61.1Ω/km
ANO03.004.37.000.34B	LIYCY-TP	300/300V	37X2X0.34	22/0.14	22.6	817.76	61.1Ω/km
ANO03.004.38.000.34B	LIYCY-TP	300/300V	38X2X0.34	22/0.14	23.4	870.47	61.1Ω/km
ANO03.004.39.000.34B	LIYCY-TP	300/300V	39X2X0.34	22/0.14	23.4	874.32	61.1Ω/km
ANO03.004.40.000.34B	LIYCY-TP	300/300V	40X2X0.34	22/0.14	23.4	878.15	61.1Ω/km
ANO03.004.41.000.34B	LIYCY-TP	300/300V	41X2X0.34	22/0.14	25.4	1010.39	61.1Ω/km
ANO03.004.42.000.34B	LIYCY-TP	300/300V	42X2X0.34	22/0.14	25.4	1014.24	61.1Ω/km
ANO03.004.43.000.34B	LIYCY-TP	300/300V	43X2X0.34	22/0.14	25.4	1018.08	61.1Ω/km

ANO03.004.44.000.34B	LIYCY-TP	300/300V	44X2X0.34	22/0.14	25.4	1021.93	61.1Ω/km
ANO03.004.45.000.34B	LIYCY-TP	300/300V	45X2X0.34	22/0.14	25.8	1052.93	61.1Ω/km
ANO03.004.46.000.34B	LIYCY-TP	300/300V	46X2X0.34	22/0.14	25.8	1056.77	61.1Ω/km
ANO03.004.47.000.34B	LIYCY-TP	300/300V	47X2X0.34	22/0.14	25.8	1060.61	61.1Ω/km
ANO03.004.48.000.34B	LIYCY-TP	300/300V	48X2X0.34	22/0.14	25.8	1064.46	61.1Ω/km
ANO03.004.49.000.34B	LIYCY-TP	300/300V	49X2X0.34	22/0.14	26.6	1122.66	61.1Ω/km
ANO03.004.50.000.34B	LIYCY-TP	300/300V	50X2X0.34	22/0.14	26.6	1126.51	61.1Ω/km
ANO03.004.51.000.34B	LIYCY-TP	300/300V	51X2X0.34	22/0.14	26.6	1130.35	61.1Ω/km
ANO03.004.52.000.34B	LIYCY-TP	300/300V	52X2X0.34	22/0.14	26.6	1134.19	61.1Ω/km
ANO03.004.53.000.34B	LIYCY-TP	300/300V	53X2X0.34	22/0.14	27.4	1195.33	61.1Ω/km
ANO03.004.54.000.34B	LIYCY-TP	300/300V	54X2X0.34	22/0.14	27.4	1199.18	61.1Ω/km
ANO03.004.55.000.34B	LIYCY-TP	300/300V	55X2X0.34	22/0.14	27.4	1203.01	61.1Ω/km
ANO03.004.56.000.34B	LIYCY-TP	300/300V	56X2X0.34	22/0.14	27.4	1206.86	61.1Ω/km
ANO03.004.57.000.34B	LIYCY-TP	300/300V	57X2X0.34	22/0.14	28.3	1275.85	61.1Ω/km
ANO03.004.58.000.34B	LIYCY-TP	300/300V	58X2X0.34	22/0.14	28.3	1279.7	61.1Ω/km
ANO03.004.59.000.34B	LIYCY-TP	300/300V	59X2X0.34	22/0.14	28.3	1283.53	61.1Ω/km
ANO03.004.60.000.34B	LIYCY-TP	300/300V	60X2X0.34	22/0.14	28.3	1287.37	61.1Ω/km
ANO03.004.61.000.34B	LIYCY-TP	300/300V	61X2X0.34	22/0.14	28.3	1291.21	61.1Ω/km
ANO03.004.62.000.34B	LIYCY-TP	300/300V	62X2X0.34	22/0.14	29.1	1355.93	61.1Ω/km
ANO03.004.63.000.34B	LIYCY-TP	300/300V	63X2X0.34	22/0.14	29.1	1359.76	61.1Ω/km
ANO03.004.64.000.34B	LIYCY-TP	300/300V	64X2X0.34	22/0.14	29.1	1363.6	61.1Ω/km
ANO03.004.65.000.34B	LIYCY-TP	300/300V	65X2X0.34	22/0.14	29.1	1367.44	61.1Ω/km
ANO03.004.02.000.50B	LIYCY-TP	300/300V	2X2X0.5	18/0.19	8.6	113.21	39Ω/km
ANO03.004.03.000.50B	LIYCY-TP	300/300V	3X2X0.5	18/0.19	9.3	135.54	39Ω/km
ANO03.004.04.000.50B	LIYCY-TP	300/300V	4X2X0.5	18/0.19	10.1	162.42	39Ω/km
ANO03.004.05.000.50B	LIYCY-TP	300/300V	5X2X0.5	18/0.19	11.2	201.73	39Ω/km
ANO03.004.06.000.50B	LIYCY-TP	300/300V	6X2X0.5	18/0.19	12.1	236.05	39Ω/km
ANO03.004.07.000.50B	LIYCY-TP	300/300V	7X2X0.5	18/0.19	12.1	241.88	39Ω/km
ANO03.004.08.000.50B	LIYCY-TP	300/300V	8X2X0.5	18/0.19	13.2	284.73	39Ω/km
ANO03.004.09.000.50B	LIYCY-TP	300/300V	9X2X0.5	18/0.19	14.7	344.49	39Ω/km
ANO03.004.10.000.50B	LIYCY-TP	300/300V	10X2X0.5	18/0.19	15.6	386.93	39Ω/km
ANO03.004.11.000.50B	LIYCY-TP	300/300V	11X2X0.5	18/0.19	16.1	414.04	39Ω/km
ANO03.004.12.000.50B	LIYCY-TP	300/300V	12X2X0.5	18/0.19	16.1	419.88	39Ω/km
ANO03.004.13.000.50B	LIYCY-TP	300/300V	13X2X0.5	18/0.19	17.1	469.39	39Ω/km
ANO03.004.14.000.50B	LIYCY-TP	300/300V	14X2X0.5	18/0.19	17.1	475.22	39Ω/km
ANO03.004.15.000.50B	LIYCY-TP	300/300V	15X2X0.5	18/0.19	17.9	518.58	39Ω/km
ANO03.004.16.000.50B	LIYCY-TP	300/300V	16X2X0.5	18/0.19	17.9	524.41	39Ω/km
ANO03.004.17.000.50B	LIYCY-TP	300/300V	17X2X0.5	18/0.19	19	583.66	39Ω/km
ANO03.004.18.000.50B	LIYCY-TP	300/300V	18X2X0.5	18/0.19	19	589.48	39Ω/km
ANO03.004.19.000.50B	LIYCY-TP	300/300V	19X2X0.5	18/0.19	19	595.31	39Ω/km
ANO03.004.20.000.50B	LIYCY-TP	300/300V	20X2X0.5	18/0.19	19.5	626.89	39Ω/km
ANO03.004.21.000.50B	LIYCY-TP	300/300V	21X2X0.5	18/0.19	19.9	653.79	39Ω/km
ANO03.004.22.000.50B	LIYCY-TP	300/300V	22X2X0.5	18/0.19	21.6	746.13	39Ω/km

ANO03.004.23.000.50B	LIYCY-TP	300/300V	23X2X0.5	18/0.19	22.7	815.61	39Ω/km
ANO03.004.24.000.50B	LIYCY-TP	300/300V	24X2X0.5	18/0.19	22.7	821.43	39Ω/km
ANO03.004.25.000.50B	LIYCY-TP	300/300V	25X2X0.5	18/0.19	23.2	857.73	39Ω/km
ANO03.004.26.000.50B	LIYCY-TP	300/300V	26X2X0.5	18/0.19	23.2	863.54	39Ω/km
ANO03.004.27.000.50B	LIYCY-TP	300/300V	27X2X0.5	18/0.19	23.2	869.37	39Ω/km
ANO03.004.28.000.50B	LIYCY-TP	300/300V	28X2X0.5	18/0.19	23.9	918.97	39Ω/km
ANO03.004.29.000.50B	LIYCY-TP	300/300V	29X2X0.5	18/0.19	23.9	924.8	39Ω/km
ANO03.004.30.000.50B	LIYCY-TP	300/300V	30X2X0.5	18/0.19	23.9	930.62	39Ω/km
ANO03.004.31.000.50B	LIYCY-TP	300/300V	31X2X0.5	18/0.19	25	1006.69	39Ω/km
ANO03.004.32.000.50B	LIYCY-TP	300/300V	32X2X0.5	18/0.19	25	1012.52	39Ω/km
ANO03.004.33.000.50B	LIYCY-TP	300/300V	33X2X0.5	18/0.19	25	1018.33	39Ω/km
ANO03.004.34.000.50B	LIYCY-TP	300/300V	34X2X0.5	18/0.19	26.1	1097.52	39Ω/km
ANO03.004.35.000.50B	LIYCY-TP	300/300V	35X2X0.5	18/0.19	26.1	1103.33	39Ω/km
ANO03.004.36.000.50B	LIYCY-TP	300/300V	36X2X0.5	18/0.19	26.1	1109.15	39Ω/km
ANO03.004.37.000.50B	LIYCY-TP	300/300V	37X2X0.5	18/0.19	26.1	1114.98	39Ω/km
ANO03.004.38.000.50B	LIYCY-TP	300/300V	38X2X0.5	18/0.19	27	1184.19	39Ω/km
ANO03.004.39.000.50B	LIYCY-TP	300/300V	39X2X0.5	18/0.19	27	1190.01	39Ω/km
ANO03.004.40.000.50B	LIYCY-TP	300/300V	40X2X0.5	18/0.19	27	1195.83	39Ω/km
ANO03.004.41.000.50B	LIYCY-TP	300/300V	41X2X0.5	18/0.19	29.3	1372.03	39Ω/km
ANO03.004.42.000.50B	LIYCY-TP	300/300V	42X2X0.5	18/0.19	29.3	1377.86	39Ω/km
ANO03.004.43.000.50B	LIYCY-TP	300/300V	43X2X0.5	18/0.19	29.3	1383.68	39Ω/km
ANO03.004.44.000.50B	LIYCY-TP	300/300V	44X2X0.5	18/0.19	29.3	1389.51	39Ω/km
ANO03.004.45.000.50B	LIYCY-TP	300/300V	45X2X0.5	18/0.19	30	1448.96	39Ω/km
ANO03.004.46.000.50B	LIYCY-TP	300/300V	46X2X0.5	18/0.19	30	1454.77	39Ω/km
ANO03.004.47.000.50B	LIYCY-TP	300/300V	47X2X0.5	18/0.19	30	1460.61	39Ω/km
ANO03.004.48.000.50B	LIYCY-TP	300/300V	48X2X0.5	18/0.19	30	1466.42	39Ω/km
ANO03.004.49.000.50B	LIYCY-TP	300/300V	49X2X0.5	18/0.19	31.3	1607.36	39Ω/km
ANO03.004.50.000.50B	LIYCY-TP	300/300V	50X2X0.5	18/0.19	31.3	1613.17	39Ω/km
ANO03.004.51.000.50B	LIYCY-TP	300/300V	51X2X0.5	18/0.19	31.3	1618.99	39Ω/km
ANO03.004.52.000.50B	LIYCY-TP	300/300V	52X2X0.5	18/0.19	31.3	1624.82	39Ω/km
ANO03.004.53.000.50B	LIYCY-TP	300/300V	53X2X0.5	18/0.19	32.4	1723.04	39Ω/km
ANO03.004.54.000.50B	LIYCY-TP	300/300V	54X2X0.5	18/0.19	32.4	1728.87	39Ω/km
ANO03.004.55.000.50B	LIYCY-TP	300/300V	55X2X0.5	18/0.19	32.4	1734.69	39Ω/km
ANO03.004.56.000.50B	LIYCY-TP	300/300V	56X2X0.5	18/0.19	32.4	1740.51	39Ω/km
ANO03.004.57.000.50B	LIYCY-TP	300/300V	57X2X0.5	18/0.19	33.3	1825.7	39Ω/km
ANO03.004.58.000.50B	LIYCY-TP	300/300V	58X2X0.5	18/0.19	33.3	1831.53	39Ω/km
ANO03.004.59.000.50B	LIYCY-TP	300/300V	59X2X0.5	18/0.19	33.3	1837.35	39Ω/km
ANO03.004.60.000.50B	LIYCY-TP	300/300V	60X2X0.5	18/0.19	33.3	1843.18	39Ω/km
ANO03.004.61.000.50B	LIYCY-TP	300/300V	61X2X0.5	18/0.19	33.3	1848.99	39Ω/km
ANO03.004.62.000.50B	LIYCY-TP	300/300V	62X2X0.5	18/0.19	34.4	1952.91	39Ω/km
ANO03.004.63.000.50B	LIYCY-TP	300/300V	63X2X0.5	18/0.19	34.4	1958.72	39Ω/km
ANO03.004.64.000.50B	LIYCY-TP	300/300V	64X2X0.5	18/0.19	34.4	1964.56	39Ω/km
ANO03.004.65.000.50B	LIYCY-TP	300/300V	65X2X0.5	18/0.19	34.4	1970.38	39Ω/km

ANO03.004.02.000.75B	LIYCY-TP	300/500V	2X2X0.75	27/0.19	9.5	141.67	26Ω/km
ANO03.004.03.000.75B	LIYCY-TP	300/500V	3X2X0.75	27/0.19	10.1	166.88	26Ω/km
ANO03.004.04.000.75B	LIYCY-TP	300/500V	4X2X0.75	27/0.19	11.2	209.61	26Ω/km
ANO03.004.05.000.75B	LIYCY-TP	300/500V	5X2X0.75	27/0.19	12.2	250.67	26Ω/km
ANO03.004.06.000.75B	LIYCY-TP	300/500V	6X2X0.75	27/0.19	13.5	302.78	26Ω/km
ANO03.004.07.000.75B	LIYCY-TP	300/500V	7X2X0.75	27/0.19	13.5	312.03	26Ω/km
ANO03.004.08.000.75B	LIYCY-TP	300/500V	8X2X0.75	27/0.19	14.7	366.09	26Ω/km
ANO03.004.09.000.75B	LIYCY-TP	300/500V	9X2X0.75	27/0.19	16	428.95	26Ω/km
ANO03.004.10.000.75B	LIYCY-TP	300/500V	10X2X0.75	27/0.19	17.2	490.83	26Ω/km
ANO03.004.11.000.75B	LIYCY-TP	300/500V	11X2X0.75	27/0.19	17.8	528.23	26Ω/km
ANO03.004.12.000.75B	LIYCY-TP	300/500V	12X2X0.75	27/0.19	17.8	537.48	26Ω/km
ANO03.004.13.000.75B	LIYCY-TP	300/500V	13X2X0.75	27/0.19	18.8	594.82	26Ω/km
ANO03.004.14.000.75B	LIYCY-TP	300/500V	14X2X0.75	27/0.19	18.8	604.07	26Ω/km
ANO03.004.15.000.75B	LIYCY-TP	300/500V	15X2X0.75	27/0.19	19.8	665	26Ω/km
ANO03.004.16.000.75B	LIYCY-TP	300/500V	16X2X0.75	27/0.19	19.8	674.25	26Ω/km
ANO03.004.17.000.75B	LIYCY-TP	300/500V	17X2X0.75	27/0.19	21.3	758.2	26Ω/km
ANO03.004.18.000.75B	LIYCY-TP	300/500V	18X2X0.75	27/0.19	21.3	767.45	26Ω/km
ANO03.004.19.000.75B	LIYCY-TP	300/500V	19X2X0.75	27/0.19	21.3	776.71	26Ω/km
ANO03.004.20.000.75B	LIYCY-TP	300/500V	20X2X0.75	27/0.19	21.8	814.59	26Ω/km
ANO03.004.21.000.75B	LIYCY-TP	300/500V	21X2X0.75	27/0.19	22.5	863.97	26Ω/km
ANO03.004.22.000.75B	LIYCY-TP	300/500V	22X2X0.75	27/0.19	23.8	953.14	26Ω/km
ANO03.004.23.000.75B	LIYCY-TP	300/500V	23X2X0.75	27/0.19	25	1038.97	26Ω/km
ANO03.004.24.000.75B	LIYCY-TP	300/500V	24X2X0.75	27/0.19	25	1048.22	26Ω/km
ANO03.004.25.000.75B	LIYCY-TP	300/500V	25X2X0.75	27/0.19	25.5	1090.99	26Ω/km
ANO03.004.26.000.75B	LIYCY-TP	300/500V	26X2X0.75	27/0.19	25.5	1100.24	26Ω/km
ANO03.004.27.000.75B	LIYCY-TP	300/500V	27X2X0.75	27/0.19	25.5	1109.5	26Ω/km
ANO03.004.28.000.75B	LIYCY-TP	300/500V	28X2X0.75	27/0.19	26.6	1193.54	26Ω/km
ANO03.004.29.000.75B	LIYCY-TP	300/500V	29X2X0.75	27/0.19	26.6	1202.78	26Ω/km
ANO03.004.30.000.75B	LIYCY-TP	300/500V	30X2X0.75	27/0.19	26.6	1212.03	26Ω/km
ANO03.004.31.000.75B	LIYCY-TP	300/500V	31X2X0.75	27/0.19	27.6	1293.18	26Ω/km
ANO03.004.32.000.75B	LIYCY-TP	300/500V	32X2X0.75	27/0.19	27.6	1302.43	26Ω/km
ANO03.004.33.000.75B	LIYCY-TP	300/500V	33X2X0.75	27/0.19	27.6	1311.68	26Ω/km
ANO03.004.34.000.75B	LIYCY-TP	300/500V	34X2X0.75	27/0.19	28.8	1409.36	26Ω/km
ANO03.004.35.000.75B	LIYCY-TP	300/500V	35X2X0.75	27/0.19	28.8	1418.63	26Ω/km
ANO03.004.36.000.75B	LIYCY-TP	300/500V	36X2X0.75	27/0.19	28.8	1427.88	26Ω/km
ANO03.004.37.000.75B	LIYCY-TP	300/500V	37X2X0.75	27/0.19	28.8	1437.13	26Ω/km
ANO03.004.38.000.75B	LIYCY-TP	300/500V	38X2X0.75	27/0.19	30	1538.5	26Ω/km
ANO03.004.39.000.75B	LIYCY-TP	300/500V	39X2X0.75	27/0.19	30	1547.75	26Ω/km
ANO03.004.40.000.75B	LIYCY-TP	300/500V	40X2X0.75	27/0.19	30	1557	26Ω/km
ANO03.004.41.000.75B	LIYCY-TP	300/500V	41X2X0.75	27/0.19	33.1	1855.28	26Ω/km
ANO03.004.42.000.75B	LIYCY-TP	300/500V	42X2X0.75	27/0.19	33.1	1864.53	26Ω/km
ANO03.004.43.000.75B	LIYCY-TP	300/500V	43X2X0.75	27/0.19	33.1	1873.79	26Ω/km
ANO03.004.44.000.75B	LIYCY-TP	300/500V	44X2X0.75	27/0.19	33.1	1883.04	26Ω/km

ANO03.004.45.000.75B	LIYCY-TP	300/500V	45X2X0.75	27/0.19	33.8	1953.35	26Ω/km
ANO03.004.46.000.75B	LIYCY-TP	300/500V	46X2X0.75	27/0.19	33.8	1962.6	26Ω/km
ANO03.004.47.000.75B	LIYCY-TP	300/500V	47X2X0.75	27/0.19	33.8	1971.86	26Ω/km
ANO03.004.48.000.75B	LIYCY-TP	300/500V	48X2X0.75	27/0.19	33.8	1981.11	26Ω/km
ANO03.004.49.000.75B	LIYCY-TP	300/500V	49X2X0.75	27/0.19	34.7	2073.04	26Ω/km
ANO03.004.50.000.75B	LIYCY-TP	300/500V	50X2X0.75	27/0.19	34.7	2082.29	26Ω/km
ANO03.004.51.000.75B	LIYCY-TP	300/500V	51X2X0.75	27/0.19	34.7	2091.55	26Ω/km
ANO03.004.52.000.75B	LIYCY-TP	300/500V	52X2X0.75	27/0.19	34.7	2100.8	26Ω/km
ANO03.004.53.000.75B	LIYCY-TP	300/500V	53X2X0.75	27/0.19	35.9	2221.73	26Ω/km
ANO03.004.54.000.75B	LIYCY-TP	300/500V	54X2X0.75	27/0.19	35.9	2230.98	26Ω/km
ANO03.004.55.000.75B	LIYCY-TP	300/500V	55X2X0.75	27/0.19	35.9	2240.25	26Ω/km
ANO03.004.56.000.75B	LIYCY-TP	300/500V	56X2X0.75	27/0.19	35.9	2249.5	26Ω/km
ANO03.004.57.000.75B	LIYCY-TP	300/500V	57X2X0.75	27/0.19	37.1	2358.99	26Ω/km
ANO03.004.58.000.75B	LIYCY-TP	300/500V	58X2X0.75	27/0.19	37.1	2368.24	26Ω/km
ANO03.004.59.000.75B	LIYCY-TP	300/500V	59X2X0.75	27/0.19	37.1	2377.5	26Ω/km
ANO03.004.60.000.75B	LIYCY-TP	300/500V	60X2X0.75	27/0.19	37.1	2386.75	26Ω/km
ANO03.004.61.000.75B	LIYCY-TP	300/500V	61X2X0.75	27/0.19	37.1	2396	26Ω/km
ANO03.004.62.000.75B	LIYCY-TP	300/500V	62X2X0.75	27/0.19	38.4	2534.07	26Ω/km
ANO03.004.63.000.75B	LIYCY-TP	300/500V	63X2X0.75	27/0.19	38.4	2543.33	26Ω/km
ANO03.004.64.000.75B	LIYCY-TP	300/500V	64X2X0.75	27/0.19	38.4	2552.58	26Ω/km
ANO03.004.65.000.75B	LIYCY-TP	300/500V	65X2X0.75	27/0.19	38.4	2561.84	26Ω/km
ANO03.004.02.001.00B	LIYCY-TP	300/500V	2X2X1	35/0.19	10.2	166.81	19.5Ω/km
ANO03.004.03.001.00B	LIYCY-TP	300/500V	3X2X1	35/0.19	11.1	206.97	19.5Ω/km
ANO03.004.04.001.00B	LIYCY-TP	300/500V	4X2X1	35/0.19	12.1	250.99	19.5Ω/km
ANO03.004.05.001.00B	LIYCY-TP	300/500V	5X2X1	35/0.19	13.3	304.1	19.5Ω/km
ANO03.004.06.001.00B	LIYCY-TP	300/500V	6X2X1	35/0.19	14.7	366.89	19.5Ω/km
ANO03.004.07.001.00B	LIYCY-TP	300/500V	7X2X1	35/0.19	14.7	379.36	19.5Ω/km
ANO03.004.08.001.00B	LIYCY-TP	300/500V	8X2X1	35/0.19	15.9	441.15	19.5Ω/km
ANO03.004.09.001.00B	LIYCY-TP	300/500V	9X2X1	35/0.19	17.5	524.48	19.5Ω/km
ANO03.004.10.001.00B	LIYCY-TP	300/500V	10X2X1	35/0.19	18.8	599.23	19.5Ω/km
ANO03.004.11.001.00B	LIYCY-TP	300/500V	11X2X1	35/0.19	19.4	642.38	19.5Ω/km
ANO03.004.12.001.00B	LIYCY-TP	300/500V	12X2X1	35/0.19	19.4	654.85	19.5Ω/km
ANO03.004.13.001.00B	LIYCY-TP	300/500V	13X2X1	35/0.19	20.9	740.57	19.5Ω/km
ANO03.004.14.001.00B	LIYCY-TP	300/500V	14X2X1	35/0.19	20.9	753.04	19.5Ω/km
ANO03.004.15.001.00B	LIYCY-TP	300/500V	15X2X1	35/0.19	21.9	822.38	19.5Ω/km
ANO03.004.16.001.00B	LIYCY-TP	300/500V	16X2X1	35/0.19	21.9	834.85	19.5Ω/km
ANO03.004.17.001.00B	LIYCY-TP	300/500V	17X2X1	35/0.19	23.2	924.11	19.5Ω/km
ANO03.004.18.001.00B	LIYCY-TP	300/500V	18X2X1	35/0.19	23.2	936.57	19.5Ω/km
ANO03.004.19.001.00B	LIYCY-TP	300/500V	19X2X1	35/0.19	23.2	949.04	19.5Ω/km
ANO03.004.20.001.00B	LIYCY-TP	300/500V	20X2X1	35/0.19	23.8	998.97	19.5Ω/km
ANO03.004.21.001.00B	LIYCY-TP	300/500V	21X2X1	35/0.19	24.5	1055.17	19.5Ω/km
ANO03.004.22.001.00B	LIYCY-TP	300/500V	22X2X1	35/0.19	26.2	1180.78	19.5Ω/km
ANO03.004.23.001.00B	LIYCY-TP	300/500V	23X2X1	35/0.19	27.3	1271.28	19.5Ω/km

ANO03.004.24.001.00B	LIYCY-TP	300/500V	24X2X1	35/0.19	27.3	1283.75	19.5Ω/km
ANO03.004.25.001.00B	LIYCY-TP	300/500V	25X2X1	35/0.19	28.1	1353.7	19.5Ω/km
ANO03.004.26.001.00B	LIYCY-TP	300/500V	26X2X1	35/0.19	28.1	1366.17	19.5Ω/km
ANO03.004.27.001.00B	LIYCY-TP	300/500V	27X2X1	35/0.19	28.1	1378.64	19.5Ω/km
ANO03.004.28.001.00B	LIYCY-TP	300/500V	28X2X1	35/0.19	29.1	1466.91	19.5Ω/km
ANO03.004.29.001.00B	LIYCY-TP	300/500V	29X2X1	35/0.19	29.1	1479.38	19.5Ω/km
ANO03.004.30.001.00B	LIYCY-TP	300/500V	30X2X1	35/0.19	29.1	1491.85	19.5Ω/km
ANO03.004.31.001.00B	LIYCY-TP	300/500V	31X2X1	35/0.19	30.7	1660.22	19.5Ω/km
ANO03.004.32.001.00B	LIYCY-TP	300/500V	32X2X1	35/0.19	30.7	1672.69	19.5Ω/km
ANO03.004.33.001.00B	LIYCY-TP	300/500V	33X2X1	35/0.19	30.7	1685.16	19.5Ω/km
ANO03.004.34.001.00B	LIYCY-TP	300/500V	34X2X1	35/0.19	32.2	1820.99	19.5Ω/km
ANO03.004.35.001.00B	LIYCY-TP	300/500V	35X2X1	35/0.19	32.2	1833.46	19.5Ω/km
ANO03.004.36.001.00B	LIYCY-TP	300/500V	36X2X1	35/0.19	32.2	1845.93	19.5Ω/km
ANO03.004.37.001.00B	LIYCY-TP	300/500V	37X2X1	35/0.19	32.2	1858.4	19.5Ω/km
ANO03.004.38.001.00B	LIYCY-TP	300/500V	38X2X1	35/0.19	33.3	1967.58	19.5Ω/km
ANO03.004.39.001.00B	LIYCY-TP	300/500V	39X2X1	35/0.19	33.3	1980.06	19.5Ω/km
ANO03.004.40.001.00B	LIYCY-TP	300/500V	40X2X1	35/0.19	33.3	1992.53	19.5Ω/km
ANO03.004.41.001.00B	LIYCY-TP	300/500V	41X2X1	35/0.19	36.3	2281.27	19.5Ω/km
ANO03.004.42.001.00B	LIYCY-TP	300/500V	42X2X1	35/0.19	36.3	2293.74	19.5Ω/km
ANO03.004.43.001.00B	LIYCY-TP	300/500V	43X2X1	35/0.19	36.3	2306.2	19.5Ω/km
ANO03.004.44.001.00B	LIYCY-TP	300/500V	44X2X1	35/0.19	36.3	2318.67	19.5Ω/km
ANO03.004.45.001.00B	LIYCY-TP	300/500V	45X2X1	35/0.19	37.2	2402.6	19.5Ω/km
ANO03.004.46.001.00B	LIYCY-TP	300/500V	46X2X1	35/0.19	37.2	2415.07	19.5Ω/km
ANO03.004.47.001.00B	LIYCY-TP	300/500V	47X2X1	35/0.19	37.2	2427.53	19.5Ω/km
ANO03.004.48.001.00B	LIYCY-TP	300/500V	48X2X1	35/0.19	37.2	2439.99	19.5Ω/km
ANO03.004.49.001.00B	LIYCY-TP	300/500V	49X2X1	35/0.19	38.4	2571.39	19.5Ω/km
ANO03.004.50.001.00B	LIYCY-TP	300/500V	50X2X1	35/0.19	38.4	2583.86	19.5Ω/km
ANO03.004.51.001.00B	LIYCY-TP	300/500V	51X2X1	35/0.19	38.4	2596.33	19.5Ω/km
ANO03.004.52.001.00B	LIYCY-TP	300/500V	52X2X1	35/0.19	38.4	2608.81	19.5Ω/km
ANO03.004.53.001.00B	LIYCY-TP	300/500V	53X2X1	35/0.19	39.6	2743.92	19.5Ω/km
ANO03.004.54.001.00B	LIYCY-TP	300/500V	54X2X1	35/0.19	39.6	2756.39	19.5Ω/km
ANO03.004.55.001.00B	LIYCY-TP	300/500V	55X2X1	35/0.19	39.6	2768.86	19.5Ω/km
ANO03.004.56.001.00B	LIYCY-TP	300/500V	56X2X1	35/0.19	39.6	2781.33	19.5Ω/km
ANO03.004.57.001.00B	LIYCY-TP	300/500V	57X2X1	35/0.19	40.7	2911.31	19.5Ω/km
ANO03.004.58.001.00B	LIYCY-TP	300/500V	58X2X1	35/0.19	40.7	2923.77	19.5Ω/km
ANO03.004.59.001.00B	LIYCY-TP	300/500V	59X2X1	35/0.19	40.7	2936.24	19.5Ω/km
ANO03.004.60.001.00B	LIYCY-TP	300/500V	60X2X1	35/0.19	40.7	2948.72	19.5Ω/km
ANO03.004.61.001.00B	LIYCY-TP	300/500V	61X2X1	35/0.19	40.7	2961.19	19.5Ω/km
ANO03.004.62.001.00B	LIYCY-TP	300/500V	62X2X1	35/0.19	42	3114.65	19.5Ω/km
ANO03.004.63.001.00B	LIYCY-TP	300/500V	63X2X1	35/0.19	42	3127.11	19.5Ω/km
ANO03.004.64.001.00B	LIYCY-TP	300/500V	64X2X1	35/0.19	42	3139.58	19.5Ω/km
ANO03.004.65.001.00B	LIYCY-TP	300/500V	65X2X1	35/0.19	42	3152.04	19.5Ω/km
ANO03.004.02.001.50B	LIYCY-TP	300/500V	2X2X1.5	31/0.25	11.6	223.51	13.3Ω/km

ANO03.004.03.001.50B	LIYCY-TP	300/500V	3X2X1.5	31/0.25	12.3	265.51	13.3Ω/km
ANO03.004.04.001.50B	LIYCY-TP	300/500V	4X2X1.5	31/0.25	13.6	327.92	13.3Ω/km
ANO03.004.05.001.50B	LIYCY-TP	300/500V	5X2X1.5	31/0.25	15.1	404.35	13.3Ω/km
ANO03.004.06.001.50B	LIYCY-TP	300/500V	6X2X1.5	31/0.25	16.5	482.18	13.3Ω/km
ANO03.004.07.001.50B	LIYCY-TP	300/500V	7X2X1.5	31/0.25	16.5	501.43	13.3Ω/km
ANO03.004.08.001.50B	LIYCY-TP	300/500V	8X2X1.5	31/0.25	17.8	580.48	13.3Ω/km
ANO03.004.09.001.50B	LIYCY-TP	300/500V	9X2X1.5	31/0.25	19.7	694.19	13.3Ω/km
ANO03.004.10.001.50B	LIYCY-TP	300/500V	10X2X1.5	31/0.25	21.4	799.11	13.3Ω/km
ANO03.004.11.001.50B	LIYCY-TP	300/500V	11X2X1.5	31/0.25	22.1	858.82	13.3Ω/km
ANO03.004.12.001.50B	LIYCY-TP	300/500V	12X2X1.5	31/0.25	22.1	878.08	13.3Ω/km
ANO03.004.13.001.50B	LIYCY-TP	300/500V	13X2X1.5	31/0.25	23.4	974.81	13.3Ω/km
ANO03.004.14.001.50B	LIYCY-TP	300/500V	14X2X1.5	31/0.25	23.4	994.07	13.3Ω/km
ANO03.004.15.001.50B	LIYCY-TP	300/500V	15X2X1.5	31/0.25	24.8	1101.74	13.3Ω/km
ANO03.004.16.001.50B	LIYCY-TP	300/500V	16X2X1.5	31/0.25	24.8	1120.99	13.3Ω/km
ANO03.004.17.001.50B	LIYCY-TP	300/500V	17X2X1.5	31/0.25	26.3	1240.71	13.3Ω/km
ANO03.004.18.001.50B	LIYCY-TP	300/500V	18X2X1.5	31/0.25	26.3	1259.98	13.3Ω/km
ANO03.004.19.001.50B	LIYCY-TP	300/500V	19X2X1.5	31/0.25	26.3	1279.23	13.3Ω/km
ANO03.004.20.001.50B	LIYCY-TP	300/500V	20X2X1.5	31/0.25	26.9	1340.82	13.3Ω/km
ANO03.004.21.001.50B	LIYCY-TP	300/500V	21X2X1.5	31/0.25	27.5	1403.36	13.3Ω/km
ANO03.004.22.001.50B	LIYCY-TP	300/500V	22X2X1.5	31/0.25	29.4	1564.63	13.3Ω/km
ANO03.004.23.001.50B	LIYCY-TP	300/500V	23X2X1.5	31/0.25	31.5	1781.72	13.3Ω/km
ANO03.004.24.001.50B	LIYCY-TP	300/500V	24X2X1.5	31/0.25	31.5	1800.97	13.3Ω/km
ANO03.004.25.001.50B	LIYCY-TP	300/500V	25X2X1.5	31/0.25	32.4	1895.73	13.3Ω/km
ANO03.004.26.001.50B	LIYCY-TP	300/500V	26X2X1.5	31/0.25	32.4	1914.98	13.3Ω/km
ANO03.004.27.001.50B	LIYCY-TP	300/500V	27X2X1.5	31/0.25	32.4	1934.23	13.3Ω/km
ANO03.004.28.001.50B	LIYCY-TP	300/500V	28X2X1.5	31/0.25	33.4	2041.8	13.3Ω/km
ANO03.004.29.001.50B	LIYCY-TP	300/500V	29X2X1.5	31/0.25	33.4	2061.05	13.3Ω/km
ANO03.004.30.001.50B	LIYCY-TP	300/500V	30X2X1.5	31/0.25	33.4	2080.31	13.3Ω/km
ANO03.004.31.001.50B	LIYCY-TP	300/500V	31X2X1.5	31/0.25	34.9	2235.17	13.3Ω/km
ANO03.004.32.001.50B	LIYCY-TP	300/500V	32X2X1.5	31/0.25	34.9	2254.42	13.3Ω/km
ANO03.004.33.001.50B	LIYCY-TP	300/500V	33X2X1.5	31/0.25	34.9	2273.68	13.3Ω/km
ANO03.004.34.001.50B	LIYCY-TP	300/500V	34X2X1.5	31/0.25	36.3	2424.65	13.3Ω/km
ANO03.004.35.001.50B	LIYCY-TP	300/500V	35X2X1.5	31/0.25	36.3	2443.9	13.3Ω/km
ANO03.004.36.001.50B	LIYCY-TP	300/500V	36X2X1.5	31/0.25	36.3	2463.15	13.3Ω/km
ANO03.004.37.001.50B	LIYCY-TP	300/500V	37X2X1.5	31/0.25	36.3	2482.4	13.3Ω/km
ANO03.004.38.001.50B	LIYCY-TP	300/500V	38X2X1.5	31/0.25	38.1	2661.49	13.3Ω/km
ANO03.004.39.001.50B	LIYCY-TP	300/500V	39X2X1.5	31/0.25	38.1	2680.74	13.3Ω/km
ANO03.004.40.001.50B	LIYCY-TP	300/500V	40X2X1.5	31/0.25	38.1	2699.99	13.3Ω/km
ANO03.004.41.001.50B	LIYCY-TP	300/500V	41X2X1.5	31/0.25	41.4	3064.4	13.3Ω/km
ANO03.004.42.001.50B	LIYCY-TP	300/500V	42X2X1.5	31/0.25	41.4	3083.65	13.3Ω/km
ANO03.004.43.001.50B	LIYCY-TP	300/500V	43X2X1.5	31/0.25	41.4	3102.91	13.3Ω/km
ANO03.004.44.001.50B	LIYCY-TP	300/500V	44X2X1.5	31/0.25	41.4	3122.16	13.3Ω/km
ANO03.004.45.001.50B	LIYCY-TP	300/500V	45X2X1.5	31/0.25	42.3	3276.49	13.3Ω/km

ANO03.004.46.001.50B	LIYCY-TP	300/500V	46X2X1.5	31/0.25	42.3	3295.74	13.3Ω/km
ANO03.004.47.001.50B	LIYCY-TP	300/500V	47X2X1.5	31/0.25	42.3	3314.99	13.3Ω/km
ANO03.004.48.001.50B	LIYCY-TP	300/500V	48X2X1.5	31/0.25	42.3	3334.25	13.3Ω/km
ANO03.004.49.001.50B	LIYCY-TP	300/500V	49X2X1.5	31/0.25	43.6	3500.96	13.3Ω/km
ANO03.004.50.001.50B	LIYCY-TP	300/500V	50X2X1.5	31/0.25	43.6	3520.21	13.3Ω/km
ANO03.004.51.001.50B	LIYCY-TP	300/500V	51X2X1.5	31/0.25	43.6	3539.46	13.3Ω/km
ANO03.004.52.001.50B	LIYCY-TP	300/500V	52X2X1.5	31/0.25	43.6	3558.72	13.3Ω/km
ANO03.004.53.001.50B	LIYCY-TP	300/500V	53X2X1.5	31/0.25	45	3741.86	13.3Ω/km
ANO03.004.54.001.50B	LIYCY-TP	300/500V	54X2X1.5	31/0.25	45	3761.11	13.3Ω/km
ANO03.004.55.001.50B	LIYCY-TP	300/500V	55X2X1.5	31/0.25	45	3780.36	13.3Ω/km
ANO03.004.56.001.50B	LIYCY-TP	300/500V	56X2X1.5	31/0.25	45	3799.61	13.3Ω/km
ANO03.004.57.001.50B	LIYCY-TP	300/500V	57X2X1.5	31/0.25	46.3	3977.85	13.3Ω/km
ANO03.004.58.001.50B	LIYCY-TP	300/500V	58X2X1.5	31/0.25	46.3	3997.11	13.3Ω/km
ANO03.004.59.001.50B	LIYCY-TP	300/500V	59X2X1.5	31/0.25	46.3	4016.36	13.3Ω/km
ANO03.004.60.001.50B	LIYCY-TP	300/500V	60X2X1.5	31/0.25	46.3	4035.62	13.3Ω/km
ANO03.004.61.001.50B	LIYCY-TP	300/500V	61X2X1.5	31/0.25	46.3	4054.87	13.3Ω/km
ANO03.004.62.001.50B	LIYCY-TP	300/500V	62X2X1.5	31/0.25	47.7	4247.86	13.3Ω/km
ANO03.004.63.001.50B	LIYCY-TP	300/500V	63X2X1.5	31/0.25	47.7	4267.12	13.3Ω/km
ANO03.004.64.001.50B	LIYCY-TP	300/500V	64X2X1.5	31/0.25	47.7	4286.37	13.3Ω/km
ANO03.004.65.001.50B	LIYCY-TP	300/500V	65X2X1.5	31/0.25	47.7	4305.62	13.3Ω/km