

物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANM12.002.02.018AB	SJ	300V	2X18AWG	29/0.19	7.8	85.73	21.8 Ω/km
ANM12.002.03.018AB	SJ	300V	3X18AWG	29/0.19	8.3	101.13	21.8 Ω/km
ANM12.002.04.018AB	SJ	300V	4X18AWG	29/0.19	9	121.73	21.8 Ω/km
ANM12.002.05.018AB	SJ	300V	5X18AWG	29/0.19	9.8	145.63	21.8 Ω/km
ANM12.002.06.018AB	SJ	300V	6X18AWG	29/0.19	10.6	171.03	21.8 Ω/km
ANM12.002.02.017AB	SJ	300V	2X17AWG	37/0.19	8.2	96.44	17.3 Ω/km
ANM12.002.03.017AB	SJ	300V	3X17AWG	37/0.19	8.7	113.84	17.3 Ω/km
ANM12.002.04.017AB	SJ	300V	4X17AWG	37/0.19	9.5	138.54	17.3 Ω/km
ANM12.002.05.017AB	SJ	300V	5X17AWG	37/0.19	10.3	164.84	17.3 Ω/km
ANM12.002.06.017AB	SJ	300V	6X17AWG	37/0.19	11.2	195.54	17.3 Ω/km
ANM12.002.02.016AB	SJ	300V	2X16AWG	27/0.25	8.4	105.01	13.7 Ω/km
ANM12.002.03.016AB	SJ	300V	3X16AWG	27/0.25	8.9	124.91	13.7 Ω/km
ANM12.002.04.016AB	SJ	300V	4X16AWG	27/0.25	9.7	152.31	13.7 Ω/km
ANM12.002.05.016AB	SJ	300V	5X16AWG	27/0.25	10.6	183.61	13.7 Ω/km
ANM12.002.06.016AB	SJ	300V	6X16AWG	27/0.25	11.5	217.21	13.7 Ω/km
ANM12.002.02.015AB	SJ	300V	2X15AWG	34/0.25	8.8	118.45	10.9 Ω/km
ANM12.002.03.015AB	SJ	300V	3X15AWG	34/0.25	9.4	143.45	10.9 Ω/km
ANM12.002.04.015AB	SJ	300V	4X15AWG	34/0.25	10.2	174.25	10.9 Ω/km
ANM12.002.05.015AB	SJ	300V	5X15AWG	34/0.25	11.2	211.95	10.9 Ω/km
ANM12.002.06.015AB	SJ	300V	6X15AWG	34/0.25	12.1	248.95	10.9 Ω/km
ANM12.002.02.014AB	SJ	300V	2X14AWG	43/0.25	9.2	133.88	8.62 Ω/km
ANM12.002.03.014AB	SJ	300V	3X14AWG	43/0.25	9.8	162.58	8.62 Ω/km
ANM12.002.04.014AB	SJ	300V	4X14AWG	43/0.25	10.7	199.88	8.62 Ω/km
ANM12.002.05.014AB	SJ	300V	5X14AWG	43/0.25	11.7	241.98	8.62 Ω/km
ANM12.002.06.014AB	SJ	300V	6X14AWG	43/0.25	12.8	289.48	8.62 Ω/km
ANM12.002.02.013AB	SJ	300V	2X13AWG	54/0.25	9.8	155.53	6.82 Ω/km
ANM12.002.03.013AB	SJ	300V	3X13AWG	54/0.25	10.4	188.93	6.82 Ω/km
ANM12.002.04.013AB	SJ	300V	4X13AWG	54/0.25	11.4	233.83	6.82 Ω/km
ANM12.002.05.013AB	SJ	300V	5X13AWG	54/0.25	12.6	287.23	6.82 Ω/km
ANM12.002.06.013AB	SJ	300V	6X13AWG	54/0.25	13.7	340.83	6.82 Ω/km
ANM12.002.02.012AB	SJ	300V	2X12AWG	68/0.25	11	196.51	5.43 Ω/km
ANM12.002.03.012AB	SJ	300V	3X12AWG	68/0.25	11.7	239.61	5.43 Ω/km
ANM12.002.04.012AB	SJ	300V	4X12AWG	68/0.25	12.7	293.11	5.43 Ω/km
ANM12.002.05.012AB	SJ	300V	5X12AWG	68/0.25	13.9	355.51	5.43 Ω/km
ANM12.002.06.012AB	SJ	300V	6X12AWG	68/0.25	15.1	421.31	5.43 Ω/km
ANM12.002.02.011AB	SJ	300V	2X11AWG	85/0.25	11.8	230.37	4.30 Ω/km
ANM12.002.03.011AB	SJ	300V	3X11AWG	85/0.25	12.5	280.57	4.30 Ω/km
ANM12.002.04.011AB	SJ	300V	4X11AWG	85/0.25	13.6	344.67	4.30 Ω/km
ANM12.002.05.011AB	SJ	300V	5X11AWG	85/0.25	15	422.47	4.30 Ω/km
ANM12.002.06.011AB	SJ	300V	6X11AWG	85/0.25	16.3	501.07	4.30 Ω/km

ANM12.002.02.010AB	SJ	300V	2X10AWG	108/0.25	15.3	356.57	3.409 Ω/km
ANM12.002.03.010AB	SJ	300V	3X10AWG	108/0.25	16.4	433.47	3.409 Ω/km
ANM12.002.04.010AB	SJ	300V	4X10AWG	108/0.25	18	534.87	3.409 Ω/km
ANM12.002.05.010AB	SJ	300V	5X10AWG	108/0.25	19.6	642.27	3.409 Ω/km
ANM12.002.06.010AB	SJ	300V	6X10AWG	108/0.25	21.3	761.27	3.409 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANM13.003.02.018AB	SJO	300V	2X18AWG	29/0.19	7.8	85.73	21.8 Ω/km
ANM13.003.03.018AB	SJO	300V	3X18AWG	29/0.19	8.3	101.13	21.8 Ω/km
ANM13.003.04.018AB	SJO	300V	4X18AWG	29/0.19	9	121.73	21.8 Ω/km
ANM13.003.05.018AB	SJO	300V	5X18AWG	29/0.19	9.8	145.63	21.8 Ω/km
ANM13.003.06.018AB	SJO	300V	6X18AWG	29/0.19	10.6	171.03	21.8 Ω/km
ANM13.003.02.017AB	SJO	300V	2X17AWG	37/0.19	8.2	96.44	17.3 Ω/km
ANM13.003.03.017AB	SJO	300V	3X17AWG	37/0.19	8.7	113.84	17.3 Ω/km
ANM13.003.04.017AB	SJO	300V	4X17AWG	37/0.19	9.5	138.54	17.3 Ω/km
ANM13.003.05.017AB	SJO	300V	5X17AWG	37/0.19	10.3	164.84	17.3 Ω/km
ANM13.003.06.017AB	SJO	300V	6X17AWG	37/0.19	11.2	195.54	17.3 Ω/km
ANM13.003.02.016AB	SJO	300V	2X16AWG	27/0.25	8.4	105.01	13.7 Ω/km
ANM13.003.03.016AB	SJO	300V	3X16AWG	27/0.25	8.9	124.91	13.7 Ω/km
ANM13.003.04.016AB	SJO	300V	4X16AWG	27/0.25	9.7	152.31	13.7 Ω/km
ANM13.003.05.016AB	SJO	300V	5X16AWG	27/0.25	10.6	183.61	13.7 Ω/km
ANM13.003.06.016AB	SJO	300V	6X16AWG	27/0.25	11.5	217.21	13.7 Ω/km
ANM13.003.02.015AB	SJO	300V	2X15AWG	34/0.25	8.8	118.45	10.9 Ω/km
ANM13.003.03.015AB	SJO	300V	3X15AWG	34/0.25	9.4	143.45	10.9 Ω/km
ANM13.003.04.015AB	SJO	300V	4X15AWG	34/0.25	10.2	174.25	10.9 Ω/km
ANM13.003.05.015AB	SJO	300V	5X15AWG	34/0.25	11.2	211.95	10.9 Ω/km
ANM13.003.06.015AB	SJO	300V	6X15AWG	34/0.25	12.1	248.95	10.9 Ω/km
ANM13.003.02.014AB	SJO	300V	2X14AWG	43/0.25	9.2	133.88	8.62 Ω/km
ANM13.003.03.014AB	SJO	300V	3X14AWG	43/0.25	9.8	162.58	8.62 Ω/km
ANM13.003.04.014AB	SJO	300V	4X14AWG	43/0.25	10.7	199.88	8.62 Ω/km
ANM13.003.05.014AB	SJO	300V	5X14AWG	43/0.25	11.7	241.98	8.62 Ω/km
ANM13.003.06.014AB	SJO	300V	6X14AWG	43/0.25	12.8	289.48	8.62 Ω/km
ANM13.003.02.013AB	SJO	300V	2X13AWG	54/0.25	9.8	155.53	6.82 Ω/km
ANM13.003.03.013AB	SJO	300V	3X13AWG	54/0.25	10.4	188.93	6.82 Ω/km
ANM13.003.04.013AB	SJO	300V	4X13AWG	54/0.25	11.4	233.83	6.82 Ω/km
ANM13.003.05.013AB	SJO	300V	5X13AWG	54/0.25	12.6	287.23	6.82 Ω/km
ANM13.003.06.013AB	SJO	300V	6X13AWG	54/0.25	13.7	340.83	6.82 Ω/km
ANM13.003.02.012AB	SJO	300V	2X12AWG	68/0.25	11	196.51	5.43 Ω/km
ANM13.003.03.012AB	SJO	300V	3X12AWG	68/0.25	11.7	239.61	5.43 Ω/km
ANM13.003.04.012AB	SJO	300V	4X12AWG	68/0.25	12.7	293.11	5.43 Ω/km
ANM13.003.05.012AB	SJO	300V	5X12AWG	68/0.25	13.9	355.51	5.43 Ω/km
ANM13.003.06.012AB	SJO	300V	6X12AWG	68/0.25	15.1	421.31	5.43 Ω/km

ANM13.003.02.011AB	SJO	300V	2X11AWG	85/0.25	11.8	230.37	4.30 Ω/km
ANM13.003.03.011AB	SJO	300V	3X11AWG	85/0.25	12.5	280.57	4.30 Ω/km
ANM13.003.04.011AB	SJO	300V	4X11AWG	85/0.25	13.6	344.67	4.30 Ω/km
ANM13.003.05.011AB	SJO	300V	5X11AWG	85/0.25	15	422.47	4.30 Ω/km
ANM13.003.06.011AB	SJO	300V	6X11AWG	85/0.25	16.3	501.07	4.30 Ω/km
ANM13.003.02.010AB	SJO	300V	2X10AWG	108/0.25	15.3	356.57	3.409 Ω/km
ANM13.003.03.010AB	SJO	300V	3X10AWG	108/0.25	16.4	433.47	3.409 Ω/km
ANM13.003.04.010AB	SJO	300V	4X10AWG	108/0.25	18	534.87	3.409 Ω/km
ANM13.003.05.010AB	SJO	300V	5X10AWG	108/0.25	19.6	642.27	3.409 Ω/km
ANM13.003.06.010AB	SJO	300V	6X10AWG	108/0.25	21.3	761.27	3.409 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANM13.005.02.018AB	SJ00	300V	2X18AWG	29/0.19	7.8	85.73	21.8 Ω/km
ANM13.005.03.018AB	SJ00	300V	3X18AWG	29/0.19	8.3	101.13	21.8 Ω/km
ANM13.005.04.018AB	SJ00	300V	4X18AWG	29/0.19	9	121.73	21.8 Ω/km
ANM13.005.05.018AB	SJ00	300V	5X18AWG	29/0.19	9.8	145.63	21.8 Ω/km
ANM13.005.06.018AB	SJ00	300V	6X18AWG	29/0.19	10.6	171.03	21.8 Ω/km
ANM13.005.02.017AB	SJ00	300V	2X17AWG	37/0.19	8.2	96.44	17.3 Ω/km
ANM13.005.03.017AB	SJ00	300V	3X17AWG	37/0.19	8.7	113.84	17.3 Ω/km
ANM13.005.04.017AB	SJ00	300V	4X17AWG	37/0.19	9.5	138.54	17.3 Ω/km
ANM13.005.05.017AB	SJ00	300V	5X17AWG	37/0.19	10.3	164.84	17.3 Ω/km
ANM13.005.06.017AB	SJ00	300V	6X17AWG	37/0.19	11.2	195.54	17.3 Ω/km
ANM13.005.02.016AB	SJ00	300V	2X16AWG	27/0.25	8.4	105.01	13.7 Ω/km
ANM13.005.03.016AB	SJ00	300V	3X16AWG	27/0.25	8.9	124.91	13.7 Ω/km
ANM13.005.04.016AB	SJ00	300V	4X16AWG	27/0.25	9.7	152.31	13.7 Ω/km
ANM13.005.05.016AB	SJ00	300V	5X16AWG	27/0.25	10.6	183.61	13.7 Ω/km
ANM13.005.06.016AB	SJ00	300V	6X16AWG	27/0.25	11.5	217.21	13.7 Ω/km
ANM13.005.02.015AB	SJ00	300V	2X15AWG	34/0.25	8.8	118.45	10.9 Ω/km
ANM13.005.03.015AB	SJ00	300V	3X15AWG	34/0.25	9.4	143.45	10.9 Ω/km
ANM13.005.04.015AB	SJ00	300V	4X15AWG	34/0.25	10.2	174.25	10.9 Ω/km
ANM13.005.05.015AB	SJ00	300V	5X15AWG	34/0.25	11.2	211.95	10.9 Ω/km
ANM13.005.06.015AB	SJ00	300V	6X15AWG	34/0.25	12.1	248.95	10.9 Ω/km
ANM13.005.02.014AB	SJ00	300V	2X14AWG	43/0.25	9.2	133.88	8.62 Ω/km
ANM13.005.03.014AB	SJ00	300V	3X14AWG	43/0.25	9.8	162.58	8.62 Ω/km
ANM13.005.04.014AB	SJ00	300V	4X14AWG	43/0.25	10.7	199.88	8.62 Ω/km
ANM13.005.05.014AB	SJ00	300V	5X14AWG	43/0.25	11.7	241.98	8.62 Ω/km
ANM13.005.06.014AB	SJ00	300V	6X14AWG	43/0.25	12.8	289.48	8.62 Ω/km
ANM13.005.02.013AB	SJ00	300V	2X13AWG	54/0.25	9.8	155.53	6.82 Ω/km
ANM13.005.03.013AB	SJ00	300V	3X13AWG	54/0.25	10.4	188.93	6.82 Ω/km
ANM13.005.04.013AB	SJ00	300V	4X13AWG	54/0.25	11.4	233.83	6.82 Ω/km
ANM13.005.05.013AB	SJ00	300V	5X13AWG	54/0.25	12.6	287.23	6.82 Ω/km
ANM13.005.06.013AB	SJ00	300V	6X13AWG	54/0.25	13.7	340.83	6.82 Ω/km

ANM13.005.02.012AB	SJ00	300V	2X12AWG	68/0.25	11	196.51	5.43 Ω/km
ANM13.005.03.012AB	SJ00	300V	3X12AWG	68/0.25	11.7	239.61	5.43 Ω/km
ANM13.005.04.012AB	SJ00	300V	4X12AWG	68/0.25	12.7	293.11	5.43 Ω/km
ANM13.005.05.012AB	SJ00	300V	5X12AWG	68/0.25	13.9	355.51	5.43 Ω/km
ANM13.005.06.012AB	SJ00	300V	6X12AWG	68/0.25	15.1	421.31	5.43 Ω/km
ANM13.005.02.011AB	SJ00	300V	2X11AWG	85/0.25	11.8	230.37	4.30 Ω/km
ANM13.005.03.011AB	SJ00	300V	3X11AWG	85/0.25	12.5	280.57	4.30 Ω/km
ANM13.005.04.011AB	SJ00	300V	4X11AWG	85/0.25	13.6	344.67	4.30 Ω/km
ANM13.005.05.011AB	SJ00	300V	5X11AWG	85/0.25	15	422.47	4.30 Ω/km
ANM13.005.06.011AB	SJ00	300V	6X11AWG	85/0.25	16.3	501.07	4.30 Ω/km
ANM13.005.02.010AB	SJ00	300V	2X10AWG	108/0.25	15.3	356.57	3.409 Ω/km
ANM13.005.03.010AB	SJ00	300V	3X10AWG	108/0.25	16.4	433.47	3.409 Ω/km
ANM13.005.04.010AB	SJ00	300V	4X10AWG	108/0.25	18	534.87	3.409 Ω/km
ANM13.005.05.010AB	SJ00	300V	5X10AWG	108/0.25	19.6	642.27	3.409 Ω/km
ANM13.005.06.010AB	SJ00	300V	6X10AWG	108/0.25	21.3	761.27	3.409 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANM14.001.02.018AB	SJ0W	300V	2X18AWG	29/0.19	7.8	85.73	21.8 Ω/km
ANM14.001.03.018AB	SJ0W	300V	3X18AWG	29/0.19	8.3	101.13	21.8 Ω/km
ANM14.001.04.018AB	SJ0W	300V	4X18AWG	29/0.19	9	121.73	21.8 Ω/km
ANM14.001.05.018AB	SJ0W	300V	5X18AWG	29/0.19	9.8	145.63	21.8 Ω/km
ANM14.001.06.018AB	SJ0W	300V	6X18AWG	29/0.19	10.6	171.03	21.8 Ω/km
ANM14.001.02.017AB	SJ0W	300V	2X17AWG	37/0.19	8.2	96.44	17.3 Ω/km
ANM14.001.03.017AB	SJ0W	300V	3X17AWG	37/0.19	8.7	113.84	17.3 Ω/km
ANM14.001.04.017AB	SJ0W	300V	4X17AWG	37/0.19	9.5	138.54	17.3 Ω/km
ANM14.001.05.017AB	SJ0W	300V	5X17AWG	37/0.19	10.3	164.84	17.3 Ω/km
ANM14.001.06.017AB	SJ0W	300V	6X17AWG	37/0.19	11.2	195.54	17.3 Ω/km
ANM14.001.02.016AB	SJ0W	300V	2X16AWG	27/0.25	8.4	105.01	13.7 Ω/km
ANM14.001.03.016AB	SJ0W	300V	3X16AWG	27/0.25	8.9	124.91	13.7 Ω/km
ANM14.001.04.016AB	SJ0W	300V	4X16AWG	27/0.25	9.7	152.31	13.7 Ω/km
ANM14.001.05.016AB	SJ0W	300V	5X16AWG	27/0.25	10.6	183.61	13.7 Ω/km
ANM14.001.06.016AB	SJ0W	300V	6X16AWG	27/0.25	11.5	217.21	13.7 Ω/km
ANM14.001.02.015AB	SJ0W	300V	2X15AWG	34/0.25	8.8	118.45	10.9 Ω/km
ANM14.001.03.015AB	SJ0W	300V	3X15AWG	34/0.25	9.4	143.45	10.9 Ω/km
ANM14.001.04.015AB	SJ0W	300V	4X15AWG	34/0.25	10.2	174.25	10.9 Ω/km
ANM14.001.05.015AB	SJ0W	300V	5X15AWG	34/0.25	11.2	211.95	10.9 Ω/km
ANM14.001.06.015AB	SJ0W	300V	6X15AWG	34/0.25	12.1	248.95	10.9 Ω/km
ANM14.001.02.014AB	SJ0W	300V	2X14AWG	43/0.25	9.2	133.88	8.62 Ω/km
ANM14.001.03.014AB	SJ0W	300V	3X14AWG	43/0.25	9.8	162.58	8.62 Ω/km
ANM14.001.04.014AB	SJ0W	300V	4X14AWG	43/0.25	10.7	199.88	8.62 Ω/km
ANM14.001.05.014AB	SJ0W	300V	5X14AWG	43/0.25	11.7	241.98	8.62 Ω/km
ANM14.001.06.014AB	SJ0W	300V	6X14AWG	43/0.25	12.8	289.48	8.62 Ω/km

ANM14.001.02.013AB	SJOW	300V	2X13AWG	54/0.25	9.8	155.53	6.82 Ω/km
ANM14.001.03.013AB	SJOW	300V	3X13AWG	54/0.25	10.4	188.93	6.82 Ω/km
ANM14.001.04.013AB	SJOW	300V	4X13AWG	54/0.25	11.4	233.83	6.82 Ω/km
ANM14.001.05.013AB	SJOW	300V	5X13AWG	54/0.25	12.6	287.23	6.82 Ω/km
ANM14.001.06.013AB	SJOW	300V	6X13AWG	54/0.25	13.7	340.83	6.82 Ω/km
ANM14.001.02.012AB	SJOW	300V	2X12AWG	68/0.25	11	196.51	5.43 Ω/km
ANM14.001.03.012AB	SJOW	300V	3X12AWG	68/0.25	11.7	239.61	5.43 Ω/km
ANM14.001.04.012AB	SJOW	300V	4X12AWG	68/0.25	12.7	293.11	5.43 Ω/km
ANM14.001.05.012AB	SJOW	300V	5X12AWG	68/0.25	13.9	355.51	5.43 Ω/km
ANM14.001.06.012AB	SJOW	300V	6X12AWG	68/0.25	15.1	421.31	5.43 Ω/km
ANM14.001.02.011AB	SJOW	300V	2X11AWG	85/0.25	11.8	230.37	4.30 Ω/km
ANM14.001.03.011AB	SJOW	300V	3X11AWG	85/0.25	12.5	280.57	4.30 Ω/km
ANM14.001.04.011AB	SJOW	300V	4X11AWG	85/0.25	13.6	344.67	4.30 Ω/km
ANM14.001.05.011AB	SJOW	300V	5X11AWG	85/0.25	15	422.47	4.30 Ω/km
ANM14.001.06.011AB	SJOW	300V	6X11AWG	85/0.25	16.3	501.07	4.30 Ω/km
ANM14.001.02.010AB	SJOW	300V	2X10AWG	108/0.25	15.3	356.57	3.409 Ω/km
ANM14.001.03.010AB	SJOW	300V	3X10AWG	108/0.25	16.4	433.47	3.409 Ω/km
ANM14.001.04.010AB	SJOW	300V	4X10AWG	108/0.25	18	534.87	3.409 Ω/km
ANM14.001.05.010AB	SJOW	300V	5X10AWG	108/0.25	19.6	642.27	3.409 Ω/km
ANM14.001.06.010AB	SJOW	300V	6X10AWG	108/0.25	21.3	761.27	3.409 Ω/km
物料编号	型号	额定电压	规格	导体结构	电缆近似外径 mm	近似重量 kg/km	导体电阻 Ω/km
ANM14.003.02.018AB	SJOOW	300V	2X18AWG	29/0.19	7.8	85.73	21.8 Ω/km
ANM14.003.03.018AB	SJOOW	300V	3X18AWG	29/0.19	8.3	101.13	21.8 Ω/km
ANM14.003.04.018AB	SJOOW	300V	4X18AWG	29/0.19	9	121.73	21.8 Ω/km
ANM14.003.05.018AB	SJOOW	300V	5X18AWG	29/0.19	9.8	145.63	21.8 Ω/km
ANM14.003.06.018AB	SJOOW	300V	6X18AWG	29/0.19	10.6	171.03	21.8 Ω/km
ANM14.003.02.017AB	SJOOW	300V	2X17AWG	37/0.19	8.2	96.44	17.3 Ω/km
ANM14.003.03.017AB	SJOOW	300V	3X17AWG	37/0.19	8.7	113.84	17.3 Ω/km
ANM14.003.04.017AB	SJOOW	300V	4X17AWG	37/0.19	9.5	138.54	17.3 Ω/km
ANM14.003.05.017AB	SJOOW	300V	5X17AWG	37/0.19	10.3	164.84	17.3 Ω/km
ANM14.003.06.017AB	SJOOW	300V	6X17AWG	37/0.19	11.2	195.54	17.3 Ω/km
ANM14.003.02.016AB	SJOOW	300V	2X16AWG	27/0.25	8.4	105.01	13.7 Ω/km
ANM14.003.03.016AB	SJOOW	300V	3X16AWG	27/0.25	8.9	124.91	13.7 Ω/km
ANM14.003.04.016AB	SJOOW	300V	4X16AWG	27/0.25	9.7	152.31	13.7 Ω/km
ANM14.003.05.016AB	SJOOW	300V	5X16AWG	27/0.25	10.6	183.61	13.7 Ω/km
ANM14.003.06.016AB	SJOOW	300V	6X16AWG	27/0.25	11.5	217.21	13.7 Ω/km
ANM14.003.02.015AB	SJOOW	300V	2X15AWG	34/0.25	8.8	118.45	10.9 Ω/km
ANM14.003.03.015AB	SJOOW	300V	3X15AWG	34/0.25	9.4	143.45	10.9 Ω/km
ANM14.003.04.015AB	SJOOW	300V	4X15AWG	34/0.25	10.2	174.25	10.9 Ω/km
ANM14.003.05.015AB	SJOOW	300V	5X15AWG	34/0.25	11.2	211.95	10.9 Ω/km
ANM14.003.06.015AB	SJOOW	300V	6X15AWG	34/0.25	12.1	248.95	10.9 Ω/km

ANM14.003.02.014AB	SJOOW	300V	2X14AWG	43/0.25	9.2	133.88	8.62 $\Omega$ /km
ANM14.003.03.014AB	SJOOW	300V	3X14AWG	43/0.25	9.8	162.58	8.62 $\Omega$ /km
ANM14.003.04.014AB	SJOOW	300V	4X14AWG	43/0.25	10.7	199.88	8.62 $\Omega$ /km
ANM14.003.05.014AB	SJOOW	300V	5X14AWG	43/0.25	11.7	241.98	8.62 $\Omega$ /km
ANM14.003.06.014AB	SJOOW	300V	6X14AWG	43/0.25	12.8	289.48	8.62 $\Omega$ /km
ANM14.003.02.013AB	SJOOW	300V	2X13AWG	54/0.25	9.8	155.53	6.82 $\Omega$ /km
ANM14.003.03.013AB	SJOOW	300V	3X13AWG	54/0.25	10.4	188.93	6.82 $\Omega$ /km
ANM14.003.04.013AB	SJOOW	300V	4X13AWG	54/0.25	11.4	233.83	6.82 $\Omega$ /km
ANM14.003.05.013AB	SJOOW	300V	5X13AWG	54/0.25	12.6	287.23	6.82 $\Omega$ /km
ANM14.003.06.013AB	SJOOW	300V	6X13AWG	54/0.25	13.7	340.83	6.82 $\Omega$ /km
ANM14.003.02.012AB	SJOOW	300V	2X12AWG	68/0.25	11	196.51	5.43 $\Omega$ /km
ANM14.003.03.012AB	SJOOW	300V	3X12AWG	68/0.25	11.7	239.61	5.43 $\Omega$ /km
ANM14.003.04.012AB	SJOOW	300V	4X12AWG	68/0.25	12.7	293.11	5.43 $\Omega$ /km
ANM14.003.05.012AB	SJOOW	300V	5X12AWG	68/0.25	13.9	355.51	5.43 $\Omega$ /km
ANM14.003.06.012AB	SJOOW	300V	6X12AWG	68/0.25	15.1	421.31	5.43 $\Omega$ /km
ANM14.003.02.011AB	SJOOW	300V	2X11AWG	85/0.25	11.8	230.37	4.30 $\Omega$ /km
ANM14.003.03.011AB	SJOOW	300V	3X11AWG	85/0.25	12.5	280.57	4.30 $\Omega$ /km
ANM14.003.04.011AB	SJOOW	300V	4X11AWG	85/0.25	13.6	344.67	4.30 $\Omega$ /km
ANM14.003.05.011AB	SJOOW	300V	5X11AWG	85/0.25	15	422.47	4.30 $\Omega$ /km
ANM14.003.06.011AB	SJOOW	300V	6X11AWG	85/0.25	16.3	501.07	4.30 $\Omega$ /km
ANM14.003.02.010AB	SJOOW	300V	2X10AWG	108/0.25	15.3	356.57	3.409 $\Omega$ /km
ANM14.003.03.010AB	SJOOW	300V	3X10AWG	108/0.25	16.4	433.47	3.409 $\Omega$ /km
ANM14.003.04.010AB	SJOOW	300V	4X10AWG	108/0.25	18	534.87	3.409 $\Omega$ /km
ANM14.003.05.010AB	SJOOW	300V	5X10AWG	108/0.25	19.6	642.27	3.409 $\Omega$ /km
ANM14.003.06.010AB	SJOOW	300V	6X10AWG	108/0.25	21.3	761.27	3.409 $\Omega$ /km